

| Title | Monmouthshire Local Nature Recovery Action Plan |
|--------------|-------------------------------------------------|
| Version | Final |
| Version Date | 2025 |

Mae'r ddogfen hon hefyd ar gael yn Gymraeg / This document is also available in Welsh

Coordinated and distributed by:

Monmouthshire Local Nature Partnership c/o Monmouthshire County Council County Hall The Rhadyr Usk NP15 1GA



Part 1: Strategy

| 1.3. Why do we need a Local NRAP? | 10 |
|----------------------------------------------------|----|
| 1.4. Biodiversity in Monmouthshire | 14 |
| 2. Nature Emergency | 17 |
| 2.1. Drivers of Change | 18 |
| 2.2. Positive Change | 20 |
| B. Delivery of the Local NRAP | 21 |
| 3.1. Content of the Local NRAP | 21 |
| 3.2. Monitoring and Review | 22 |
| 4. General Action Plan | 22 |
| 5. Signposting | 24 |
| 5.1. Bannau Brycheiniog National Park | 24 |
| 5.2. Gwent Wildlife Trust's Ten Vulnerable Species | 25 |
| 5.3. Wye Valley National Landscape | 26 |
| Appendix 1: Policy and Legislation | 27 |
| Appendix 2: Protected Sites | 29 |
| Appendix 3: Priority Habitats in Monmouthshire | 31 |
| Appendix 4: Priority Species in Monmouthshire | 32 |
| Appendix 5: NRAP for Wales Objectives | 42 |
| | |



This document is hyperlinked. Click on **bold green** text for references.



1. INTRODUCTION

The Monmouthshire Local Nature Recovery Action Plan (NRAP) is a guide to conservation work in Monmouthshire to deliver outcomes to benefit nature recovery. The plan aims to provide practical, achievable actions designed to help reverse the decline in biodiversity and build ecosystem resilience in Monmouthshire. We want to motivate communities to actively contribute to the effective restoration and protection of nature in Monmouthshire.

The Monmouthshire Local NRAP has been produced by the Monmouthshire Local Nature Partnership (LNP). The LNP exists to co-ordinate, promote and record conservation actions to promote and enhance nature locally. The Monmouthshire LNP covers the local authority area of Monmouthshire County Council, excluding that in the Bannau Brycheiniog National Park which has a separate Local Nature Partnership and Local NRAP. For ease of use we refer to the area covered by the LNP and this NRAP as "Monmouthshire" throughout the document.

The Local NRAP is being collated and edited by LNP coordinators hosted by Monmouthshire County Council in collaboration with key partners with expertise and responsibilities for conservation and nature recovery in Monmouthshire. It is intended to be a "living document" with regular updates to record and expand on the work of the LNP.

Box 1: The Local NRAP and Monmouthshire Local Nature Partnership

The LNP is a key mechanism for delivering a Local NRAP for Monmouthshire, but the NRAP is also fundamental in delivering the aims of the LNP to: Co-ordinate, promote and record existing and new actions to conserve, promote and enhance nature in Monmouthshire...taking account of local and national priorities.

The Local NRAP meets the purposes of the LNP set out in the Terms of Reference through:

- Enabling partnership working between key organisations and individuals that protect and enhance nature in Monmouthshire.
- Supporting the development of projects undertaken by individual organisations to address local priorities.
- Identifying opportunities for integrating the conservation, promotion, and enhancement of nature into other policy areas, plans and projects throughout Monmouthshire.
- Supporting and encouraging new and existing action groups to take forward the implementation of actions identified in the plans.
- Raising awareness of nature conservation related issues and priorities in Monmouthshire



1.1. RELATIONSHIP TO OTHER PLANS

The Local NRAP is a replacement of the Monmouthshire Local Biodiversity Action Plan (LBAP), published in 2005 by the predecessor to the LNP, Monmouthshire Biodiversity Partnership. The LBAP included action plans for six habitats and 15 species. The Local NRAP will expand on the work started by the LBAP, identify current priorities and threats, and revise the actions to bring them up to date.

The NRAP for Wales was launched in 2015 and sets out how Wales will deliver the commitments of the UN Convention on Biological Diversity's Strategic Plan for Biodiversity. The NRAP for Wales is broad, designed to be a guide for all public bodies in Wales that sets out the objectives to support Welsh Government's ambition "to reverse the decline in biodiversity, for its intrinsic value, and to ensure benefits to society".

The **Greater Gwent NRAP** was produced by Resilient Greater Gwent and Gwent Green Grid Partnerships and published in 2022. It provides guidance and recommendations on nature recovery actions within the Greater Gwent area, i.e. Caerphilly, Blaenau Gwent, Torfaen, Newport, and Monmouthshire. The Greater Gwent NRAP encourages partnership working between all public bodies and organisations within Greater Gwent and promotes a regional approach to nature recovery at all levels, aligned to national and local priorities.

Monmouthshire County Council published its **Forward Plan** in 2017. The plan was produced to meet the Section 6 Biodiversity and Ecosystem Resilience duty of the Environment (Wales) Act 2016 and to provide a mechanism for delivering the County's requirements under the Well-being of Future Generations (Wales) Act 2015. Monmouthshire County Council have a duty to report every three years on progress made in delivering the plan. The 2023 report has identified the need to refresh the Forward Plan which will include eight objectives and actions for delivery over the next 4 years.

Our Local NRAP will take the objectives established in the regional and national plans and turn them into deliverable actions that we can achieve within the LNP, for our local sites and our local communities.



Figure 2 on Page 7 is hyperlinked. Click on plan and strategy titles for more information. A summary of the policy and legislation underpinning the NRAP is also given in Appendix 1

Consistent with the NRAP for Wales, this Local NRAP does not include actions for marine habitats. Refer to the Severn Estuary Partnership for actions affecting the Severn Estuary.



Figure 2: The relationship between plans

Legislation

Well-being of Future Generations (Wales) Act 2015 Environment (Wales)
Act 2016

National

NRAP for Wales

Natural Resources Policy

> Planning Policy Wales

Regional

Greater Gwent NRAP

South East Area Statement

Gwent PSBWell-being Plan

Gwent Wildlife Trust 10 Vulnerable Species

Gwent Green
Infrastructure
Strategy

Shoreline Management Plan

Local

Monmouthshire Local NRAP

Biodiversity and Ecosystem Resilience Forward Plan

Climate and Nature Emergency Strategy

Wye Valley National Landscape Management Plan

Monmouthshire Green Infrastructure Strategy

Monmouthshire Wellbeing Assessment

Evidence

State of Nature Wales

State of Natural Resources Report

Greater Gwent State of Nature

1.2. WHO IS IT FOR?

The Local NRAP is for anyone undertaking operations, projects or action in Monmouthshire which may affect biodiversity or nature recovery.

- ★ It is for individuals, community groups and conservation bodies carrying out boots-onthe-ground conservation activities.
- → It is for businesses looking to contribute to effective nature recovery. It is for developers to inform meaningful net benefit for biodiversity as part of their developments in Monmouthshire.
- ★ It is for the county, town, and community councils to aid and guide their functions whilst meeting the Section 6 biodiversity duty.
- → It is both a source of activities to be funded and an evidence base for funding applications.



Figure 3: Contributors and users of the Local NRAP

Box 2: The Local NRAP and Monmouthshire County Council

Section 6 of the Environment (Wales) Act 2016 places a duty on public authorities to seek to maintain and enhance biodiversity where it is within the proper exercise of their functions. In doing so, public authorities must seek to promote the resilience of ecosystems. This means that Monmouthshire County Council must take a pro-active approach to improve and not reduce biodiversity when carrying out its functions. The legislation also requires Public Bodies to prepare a 'Forward Plan' to outline how they shall meet the duty and report on that plan every three years from the first reporting round in 2019.

Monmouthshire County Council declared a **Climate Emergency** in 2019. The first Climate Emergency Action Plan identified the importance of managing green spaces to reduce energy use, absorb carbon and be resilient. However, when it was updated in 2021, the emphasis on nature recovery was strengthened and an action on addressing water quality was added to improve protection of our rivers and coasts.

In March 2022, a Motion for Rivers and Ocean was passed by elected members, taking the Motion for the Ocean model developed by the Local Government Association Coastal Special Interest Group, and adapting it to recognise the importance of taking a catchment to coast approach to protecting water quality. Monmouthshire County Council produced a report containing recommendations for how the council should act to realise clean, healthy and productive rivers and oceans, alongside the commitment to tackle the climate emergency.

In April 2023, Monmouthshire County Council published the Community and Corporate Plan 2022-2028, which aims to take Monmouthshire forward, working together for a fairer, greener, more successful county. The objectives of the plan include making Monmouthshire a "green place" to live work, with reduced carbon emissions, and making a positive contribution to addressing the climate and nature emergency.

Following two rounds of statutory reporting and a rapidly changing landscape for nature recovery in Monmouthshire and Wales, Monmouthshire County Council are publishing revised Biodiversity and Ecosystem Resilience Forward Plan, which will be available mid-2024.

The Local NRAP is a key element to effective delivery of these plans and strategies by providing practical actions that meet the objectives of strategic plans, as well as promoting collaborative working with communities and other stakeholders to achieve common goals.



1.3. WHY DO WE NEED A LOCAL NRAP?

1.3.1. UNDERSTANDING BIODIVERSITY

Biodiversity is short for biological diversity and simply means the variety of life. It includes all the living things that occur in the natural world and the variation between them. Biodiversity is not just about the number of species that occur in a place, it also includes the genetic variation between and within species, and the interactions between species and individuals.

Biodiversity is not just restricted to rare or threatened species, although Monmouthshire has plenty of both, it encompasses all living things in the natural world, from those that are common to those that are critically endangered.

Nature, although more commonly understood, is perhaps more difficult to define. Nature is broader than biodiversity, encompassing not only species and habitats but all the physical processes on Earth that create and support life. An ecosystem is a dynamic and interconnected system of living organisms and physical environment contained within specific geographical area. When we talk of "nature recovery" we talk of restoring species populations, habitat condition, natural processes and all the things in between that make up a healthy and resilient ecosystem.

Nature Recovery is essential because nature plays a critical role in all aspects of our lives, and there is substantial evidence for the negative impacts of degraded ecosystem services on life as we know it.

Figure 4: Definition of Biodiversity



Genetic Diversity

The genetic variation including traits and genetic characteristics within a species or population

Species Diversity

The number and abundance of species within a given area

Ecosystem Diversity

The variation and range of different habitat types within a specific area

Biological diversity means the variability among living organisms from all sources including, inter alia, terrestrial, marine, and other aquatic ecosystems and the ecological complexes of which they are part; this includes diversity within species, between species and of ecosystems.

The Convention on Biological Diversity (1993)

1.3.2. ECOSYSTEM SERVICES

Ecosystem Services are the natural systems which create an environment in which we can live and thrive, ranging from providing resources, temperature and flood regulation and mitigation, to cultural benefits including recreation and well-being. Biodiversity underpins most, if not all, essential ecosystem services including provision of food, materials, flood defences and carbon sequestration.

The most vital ecosystem services provided by biodiversity are provision of oxygen and carbon sequestration through photosynthesis; the process by which carbon dioxide is removed from the atmosphere by plants, broken down into carbon for growth and oxygen released back into the air for us to breathe. As plants grow, they store carbon in their leaves, twigs, and trunks, and importantly in their roots and the soil around them.

Ecosystem services help society adapt to a changing climate and provide mitigation for flooding. Trees and woodlands play a crucial role in mitigating air pollution, minimising noise, and providing cooling and shade. Green spaces and access to nature provides opportunities for healthy and active lifestyles. Evidence supports associations between access to nature and increased mental well-being.

The concept of ecosystem services is proven to be successful in demonstrating the necessity of taking action for nature recovery. It also provides us with criteria to measure impacts and demonstrate success, but our use of the term does not mean we consider the intrinsic value of nature and biodiversity any less.




Figure 5: Ecosystems services

1.3.3. ECOSYSTEM RESILIENCE

Ecosystem resilience refers to the ability of an ecosystem to withstand disturbances, adapt to changes, and recover its structure and function after being exposed to various stresses or shocks. This concept is a fundamental aspect of ecology and its importance in the fields of conservation and nature recovery has been recognised in recent years.

Natural Resources Wales (NRW) developed the DECCA framework (sometimes also the DECC framework) which describes the attributes which contribute to a resilient ecosystem; Diversity, Extent, Condition and Connectivity. The first iteration of the framework included Adaptability which is now replaced by "other Aspects" to recognise that adaptability is a function of the four key attributes. The speed and success of nature recovery and species climate-change adaptation will mainly depend on actions that maintain or enhance all four attributes of resilience (see Figure 7).

In 2010, Defra published "Making Space for Nature", known as The Lawton Report, which provides the most succinct conclusion on what is required; "the essence of what needs to be done to enhance the resilience and coherence of [an] ecological network can be summarised in four words: more, bigger, better and joined". Small, isolated sites do not contain enough food, shelter or genetic diversity required to support sustainable populations. We need more sites that are rich in biodiversity. We need bigger sites to allow for larger, more stable, populations and greater diversity of habitats and species composition. We need better quality sites and to manage sites better, to ensure protected sites are not degraded by neglect, inappropriate management, or development. And we need to join our nature sites to allow movement between populations, allow species to move away from sites where they can no longer thrive, or repopulate an area.




Figure 7. The Decca Framework



Diversity, from genetic variation with a species, to ecosystem diversity on a landscape scale, all are important for ecosystem resilience.

More diverse systems are better equipped to adapt to change, recover from catastrophic events, and resist threats such as disease.



The size of a population or ecosystem will affect its capacity to adapt, recover or resist disturbance.

Smaller areas support smaller populations which are greater risk of extinction from disease or catastrophic events. There's less opportunity to adapt to change.



CONDITION

Condition refers to the suitability or quality of ecosystems or habitats, and could refer to biotic, abiotic or landscape aspects of an ecosystem.

There are many factors which influence condition, from management to climate change.



CONNECTIVITY

Connectivity refers to the links between and within habitats, which may take the form of corridors, stepping stones or patches of the same or related vegetation types.



OTHER ASPECTS

Aspects of ecosystem resilience are properties of the four attributes, resilience might be shown as adaptability, resistance or recovery.

1.4. BIODIVERSITY IN MONMOUTHSHIRE

Monmouthshire is a large and varied county, with distinct differences between north and south, east and west. It is a coastal county, but its estuary location means that it is often not viewed as such. The **South East Wales Area Statement** identified three landscape profile areas in Monmouthshire which are useful to illustrate the differences across the county: **Central Monmouthshire**, **Wye Valley and Wentwood**, and the **Gwent Levels**. The landscape profiles primarily share the same natural habitats but with clear differences which give them their distinctive character. The areas covered by each profile are shown on **Figure 1**.


Central Monmouthshire is noted for its undulating lowlands comprising pasture and arable farmland with isolated pockets of woodland. It is a valuable farming area with agriculturally improved pasture and arable fields. Hedgerows provide important links between small, isolated, ancient woodlands, often on hilltops and steep valley sides where farming is difficult. Parcels of unimproved grassland remain, and considered in the context of massive historical decline are of significant ecological importance.

Wye Valley and Wentwood is predominantly a wooded and riverine landscape. The steep sides of the Wye Valley are clothed in extensive blocks of internationally important woodlands, designated as the Wye Valley Woodlands Special Area of Conservation (SAC). The Wye Valley is home to internationally important bat species including greater horseshoe bats and lesser horseshoe bats, with many of their roosts included in the Wye Valley and Forest of Dean Bat Sites SAC. Parts of the Wye Valley are known to be used by at least 15 different species of bats including the rare Barbastelle bat and Bechstein's bat. The Wye Valley is also a stronghold for dormouse, and polecats reintroduced in England have been observed on this side of the river on more than one occasion.

In the south, the unique **Gwent Levels** form an extensive coastal habitat along the Severn Estuary comprising reclaimed agricultural land drained by a network of ditches known as reens. The reens support a particularly diverse community of water plants and aquatic invertebrates and are designated as a **Site of Special Scientific Interest (SSSI)**. Following a successful reintroduction program at Magor Marsh SSSI in 2012, water voles have spread across the Gwent Levels with the furthest record 16 km from the original release site.




Figure 8: Protected Sites and Priority Habitats



The two major rivers in Monmouthshire are the River Usk and River Wye. Both are designated as Special Areas of Conservation and together with their tributaries provide important wildlife corridors and migratory routes for key species such as salmon, otters, shad and white clawed crayfish. Another important freshwater habitat in Monmouthshire is the Llandegfedd Reservoir, designated as a SSSI for supporting overwintering wildfowl. The breakdown of protected sites is shown in Figure 9 and more information on the legislation behind protected sites is given in Appendix 2.

Despite having a wealth of protected and priority species, Monmouthshire's ecosystems are currently facing significant challenges. Grassland sites are at risk from poor management and development pressures. The Wye Valley is our most ecologically rich area, but the quality of the woodland is under threat from lack of management and the spread of ash dieback. A large proportion of reens and ditches on the Gwent Levels are degraded. Freshwater habitats are under threat from water abstraction, pollution, and siltation. Monmouthshire, like the rest of the world, is facing a Nature Emergency.



2. NATURE EMERGENCY

We are in the midst of a global nature crisis. The planet is changing as a result of human activity and biodiversity loss is the clearest warning sign that we are facing a planetary emergency. In June 2021, the Senedd declared a **nature emergency** recognising that continued and drastic biodiversity loss is a clear sign of a global crisis. The **Wales Summary** for the **State of Nature 2023** makes the stark statement that **Wales is now one of the most nature depleted countries on Earth.**

The **State of Nature Partnership** is a collaboration of over 60 partners, from conservation NGOs, research institutes, and statutory nature conservation bodies. The first UK State of Nature report was published in 2013 and although the last decade has seen continued research and nature recovery action, the most recent report continues to show substantial declines in biodiversity. The headlines from the 2023 summary include 18% of species assessed in Wales are threatened with extinction. That's over 600 species. There has been an average decline of 20% in species abundance since 1994, and the distribution of species and composition of our flora and fauna is changing.

We have local evidence of the nature emergency. The **Greater Gwent State of Nature** was published in 2021, and used existing data to analyse the status and trends of species within the Greater Gwent area. The report analysed individual species and groups of species representing over 500 individual species, presented as 100 different stories of these species and species groups. Of all the species and species groups analysed, 34% of species showed a decline in their numbers or are predicted to continue to decline. Only 12% showed stable populations. Twenty-one percent showed a welcome increase in their numbers, but the remaining 21% did not have enough data to describe the population trends.

Figure 10: Percentage of species or species groups identified as decreasing, increasing, stable or unknown in the Greater Gwent State of Nature



2.1. DRIVERS OF CHANGE

The IPBES (the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services) has identified five direct drivers of global biodiversity loss (changing use of sea and land, direct exploitation of organisms, climate change, pollution, invasive non-native species) and two indirect drivers (people's disconnect with nature, lack of value and importance for nature), published in the Global Assessment for Biodiversity and Ecosystem Services in 2019.

In the same year, the State of Nature Partnership published their **third report** on the condition of UK nature which focussed on identifying the pressures acting on nature in the UK. The drivers identified in the UK are agricultural land management, climate change, freshwater management (or hydrological changes), invasive non-native species (including pests and diseases), fisheries, woodland management, pollution and urbanisation. The fourth State of Nature report (2023) provided an update on the two biggest threats in the UK only, i.e. agricultural land management and climate change.

Box 3. Drivers of Biodiversity Loss

Agricultural Land Management

Farmland ecosystems are hugely important for food production, but the drive for increasing yields has led to the loss of habitat, degradation of remaining habitat and loss of many species associated with the traditional farmed landscape. Our ecology and landscapes were created by farming; our most species-rich hay meadows developed because of traditional farming techniques. The Gwent Levels were created by draining marsh land for use as farmland. But the industrialisation of farming has resulted in loss of space for wildlife and degradation of remaining habitats.





Climate Change

Global changes in temperature, rainfall and other climatic factors that caused by climate change affect the abundance and distribution of species. Seasonal weather variation disrupts species phenology (timing of seasonal events such as egg laying) and increased extreme weather events can cause catastrophic disruption to populations more frequently. Summer drought can have a significant impact on the growth and survival of tree species, leading to major changes in the composition and structure of woodland. As climate change continues we will see change in the species and habitats that can thrive and survive in Monmouthshire.

Box 3. Cont.

Pollution

Pollution can come from many sources and can affect every habitat and ecosystem. One of the most significant ecological issues in Monmouthshire currently is the state of our rivers as a result of pollution. Excess nutrients in rivers cause a process called eutrophication, where algal blooms reduce light and oxygen levels, killing fish and other species. River monitoring targets for phosphates were tightened in 2020 as a result of evidence that nutrients had a negative impact on riverine ecology at much lower levels than originally thought. Additionally, the impact of climate change on rivers (warmer water temperatures and lower water levels) is similar to nutrient enrichment, so the tighter targets were also necessary to counteract the impacts of climate change.



Invasive Non-Native Species

When introduced species have negative impacts on native ecology or are detrimental to human health or economy, they are considered to be Invasive Non-Native Species (INNS). INNS can have adverse impacts on native ecosystems by outcompeting or predating native species, introducing diseases which native populations have no tolerance to, and hybridisation with native species. The Wales Biodiversity Partnership Invasive Non-native Species Group has produced a list of 45 priority species for action. The list includes 16 species to prevent arrival in Wales, 11 more recent introductions to manage before they take hold (of which two have been recorded in Monmouthshire, ruddy duck and sika deer), and 18 species which are well established and require long-term management, all but two of which are found in Monmouthshire.

Pests and Diseases

The biggest current threat from plant pathogens is **ash dieback** caused by *Hymenoscyphus fraxineus* (previously known as *Chalara fraxinea*).

Although the 2019 data available to the Greater Gwent State of Nature reported only eight records in the whole of Gwent, we know it had taken hold across the county by then and is now ubiquitous in towns and woodlands alike.

Loss of ash from our landscape is not only a tragic loss in itself but will have a consequent negative impact on ash dependent species of fungi and invertebrates. Management of the problem will result in the release of carbon into the atmosphere as diseased trees are removed for health and safety reasons.



2.2. POSITIVE CHANGE

Although the situation is grave, there is reason to be hopeful for recovery. Nature recovery is embedded into Future Wales National Plan, and Welsh Government have been clear that the nature crisis should be given parity with the climate emergency. We still have work to do to make this a reality, but the basis for action is clear.

Box 4. A selection of positive actions

Regenerative Farming

There is a growing interest and uptake in regenerative farming practices nationally and locally. Regenerative farming, or regenerative agriculture, can apply to any farming methods which aim to improve the environment whilst producing crops or livestock. The primary goal is to improve soil health, to not only facilitate crop production but also recognising the role of healthy soils in water quality, climate change and human health. The primary themes of regenerative farming are: keeping the soil covered, keeping living roots in the soil, minimising soil disturbance, growing a wide variety of crops, and including livestock in the system.



Natural Flood Management

A key priority of the National Strategy for Flood and Coastal Erosion Risk Management in Wales is to deliver more natural interventions and catchment approaches to help improve environmental, social, and economic resilience. This includes working with natural processes and green infrastructure to "reduce flood and coastal erosion risk by implementing measures that help to protect, restore and emulate the natural functions of catchments, floodplains, rivers and the coast", defined as Natural Flood Management (NFM). Examples of NFM include interventions such as tree planting, in-stream obstructions, soil and land management, and creation of new wetlands.

Ecological Network Mapping

Natural Resources Wales with Gwent Green Grid Partnership are undertaking mapping Resilient Ecological Networks (RENs) and Priority Ecological Networks (PENs) across South East Wales; the process interrogates how different stakeholders could co-operate to achieve multiple environmental and socioeconomic benefits.

Gwent Green Grid have created Gwent Resilient Ecological Network Mapper, and online portal to map out a Nature Recovery Network for Gwent. The map identifies existing natural resources and potential areas for improvement, where efforts are best directed.



DELIVERY OF THE LOCAL NRAP.

The success of the Monmouthshire Local NRAP will depend on collaboration and long-term commitment of the Monmouthshire LNP. By working together our efforts can be maximised, making the most of our collective knowledge, skills, and experience and allowing us to respond to any opportunities for partnership working as and when they arise.

The way actions are delivered will vary. Some actions may be delivered by one partner and others by partners working collaboratively. All partners can contribute to delivery of the Local NRAP whether they are a large organisation, small community group, or an individual.

3.1. CONTENT OF THE LOCAL NRAP

The Monmouthshire Local NRAP will comprise four parts as described in Figure 11 and will focus on habitats and species that are national priorities for conservation and are locally important. Priority habitats recorded in Monmouthshire are given in **Appendix 3** and priority species in **Appendix 4**.

As lead partner, LNP coordinators hosted by Monmouthshire County Council are responsible for editing and collating the content of the Monmouthshire Local NRAP. Partners are encouraged to contribute and develop action plans for species or habitats within their field of interest. Action Plans will be reviewed and approved by a working group of LNP members before being published.

Figure 11: Content of the Monmouthshire Local NRAP




3.2. MONITORING AND REVIEW

A key feature of the Monmouthshire Local NRAP is that it is flexible and adaptable. The actions plans are published separately to enable continual additions, review, and updates.

The number of Habitat and Species Action Plans will be added to depending on the availability of funding and the level of contributions from our partners. Existing plans will be reviewed annually by the Local NRAP working group so actions can be added to or removed in response to updates in local species and habitat information. The working group will report back to LNP following the annual review.

The **General Action Plan** will be part of the annual review. The supporting text of this Part of the Local NRAP will be updated with regards to resources, policy, legislation at minimum once every five years.



GENERAL ACTION PLAN

The General Action Plan provides a set of actions not related to a specific habitat or species that have been identified as local priorities to deliver nature recovery in Monmouthshire.

Actions are numbered for reference only; numbers do not relate to priority level or the order in which actions will be delivered. The NRAP for Wales and Greater Gwent NRAP objectives that each action contributes to is given in **Appendix 5**.

Table 1: General Action Plan

| | Action |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Polices, Pla | ns and Procedures |
| G1.1 | Embed evidence-led nature positive decision making at all levels and advocate for changes that support ecosystem resilience and nature recovery. |
| G1.2 | Ensure measures to address nature recovery and maximise biodiversity opportunities are embedded into all partners plans and policies. |
| G1.3 | Provide a strong and functioning Local Nature Partnership to act as an interface between local and national delivery partners and Welsh Government. |
| G1.4 | Implement a programme of monitoring and reporting on progress achieved through the Local NRAP, including revising actions as new evidence and policies become available. |
| Education | and Awareness |
| G2.1 | Develop a website/other web-based presence for the LNP to promote nature recovery activities and key messages, and provide and maintain a list of actions suitable for individuals and communities to take action for nature recovery. |
| G2.2 | Engage with communities, schools, businesses, landowners and town and community councils to promote understanding of biodiversity in their area and work together to encourage appropriate management and actions to achieve nature recovery. |
| G2.3 | Promote and support training events to collaboratively deliver a programme of nature and green skills training |
| Evidence a | nd Understanding |
| G3.1 | Compile and maintain an inventory of previous, current and planned nature recovery action projects and data, to identify potential overlaps and opportunities for collaboration. |
| G3.2 | Ensure all survey and monitoring data captured by Monmouthshire LNP members is submitted to SEWBReC. |
| G3.3 | Create a list of locally important species and habitats for Monmouthshire and a programme for recording and monitoring their status |
| G3.4 | Support and improve monitoring, surveying, recording and mapping of locally important habitats and species, invasive species and ecosystem resilience indicators, including volunteer and citizen science schemes |
| G3.5 | Support development of resilient ecological network maps to establish a baseline for ecosystem resilience planning and identify opportunities for nature recovery |
| Promoting | Ecosystem Resilience |
| G4.1 | Encourage collaborative action between LNP members and with neighbouring LNPs, including project development, funding, and participation in landscape scale or national project. |
| G4.2 | Promote and support the use of nature based solutions and identify suitable areas for providing nature based solutions in Monmouthshire. |


SIGNPOSTING


We don't want to duplicate efforts where we don't need to, so for some habitats and species we direct people towards actions plans created by partners working locally or wider afield but still applicable in our area. Where habitats and species have been identified as priorities in the Monmouthshire LNP area, we will aim to review partners action plans and identify local actions which can contribute to them as appropriate.

5.1. BANNAU BRYCHEINIOG NATIONAL PARK

The Bannau Brycheiniog National Park has its own Local Nature Partnership which produced a Local NRAP published in 2019 and is currently reviewing the actions for next issue. The BBNP Local NRAP is intended to guide nature recovery efforts within the National Park, as one part of the jigsaw to deliver an Ecosystem Approach. The Monmouthshire Local NRAP will identify actions that enable cross border working and collaboration with the Bannau Brycheiniog LNP but activities within the park area should be guided by their Local NRAP.

Partners working in the BBNP should also be aware of the Blaenavon Industrial Landscape World Heritage Site (BILWHS) Management Plan. Many of the actions in the plan which are designed to protect the features of the WHS will also have positive impacts for biodiversity and nature recovery, such as reducing damaging activities like off-roading.





5.2. GWENT WILDLIFE TRUST'S TEN VULNERABLE SPECIES

Gwent Wildlife Trust set their 2030 goal to recover ten vulnerable species in Gwent, reasoning that by spotlighting a small number of species action can be targeted and the impact better measured. The species were chosen as they are threatened in Gwent and also action for the chosen species would benefit other species in the varied counties across Gwent. Action plans have been created for the following species:



All the species have been recorded in Monmouthshire, although for some species the records are historic or unconfirmed. Asterisked species were also identified as priorities in Monmouthshire by LNP members.



5.3. WYE VALLEY NATIONAL LANDSCAPE

The Wye Valley National Landscape is an Area of Outstanding Natural Beauty (AONB) which covers parts of Herefordshire, Gloucestershire and Monmouthshire. The AONB Management Plan sets out the vision for the designated Area of Outstanding Natural Beauty and the priorities for its management. The forthcoming Wye Valley National Landscape's Nature Recovery Plan will focus on habitats identified as Special Qualities of the protected landscape, their current extent, condition and aims and objective for nature recovery in each.

The **Priority Species Project** has produced five Species Action Plans for species or assemblage of species related to key habitats in the Wye Valley.



Bumblebee Assemblage



Hedgehog



Noble Chafer Beetle



Woodland Butterflies



Water Crowfoot

The key habitats associated with each species groups are:

- Assemblage of bumblebees and species rich grassland
- Hedgehog and boundary features such as hedgerows and dry-stone walls
- Noble chafer beetle and traditional orchards
- Woodland butterfly assemblage and woodland
- Water crowfoot and watercourses, i.e. the River Wye and it's tributaries

APPENDIX 1: POLICY AND LEGISLATION

WELL-BEING OF FUTURE GENERATIONS (WALES) ACT 2015

The Well-being of Future Generations (Wales) Act 2015 is concerned with improving the social, economic, environmental and cultural well-being of Wales. The Act places a duty on public bodies listed in the Act to carry out sustainable development. To do this public bodies are required to work towards the following seven well-being goals:



All public bodies listed in the Act must set up and publish well-being objectives. The Act has also established Public Services Boards (PSBs) for each local authority area in Wales. Their role is to improve the economic, social, environmental and cultural well-being in its area by strengthening joint working across all public services in Wales.

An annual Well-being of Wales report The Future Generations commissioner publishes an annual report which summarises progress with reference to a set of 46 national indicator, including (43) area of healthy ecosystem and (44) the status of biodiversity in Wales.

THE ENVIRONMENT (WALES) ACT 2016

The Environment (Wales) Act 2016 puts in place the legislation needed to plan and manage Wales' natural resources in a more proactive, sustainable and joined-up way.

BIODIVERSITY AND RESILIENCE OF ECOSYSTEMS DUTY

Section 6 under Part 1 of the Environment (Wales) Act 2016 introduced an enhanced biodiversity and resilience of ecosystems duty (Section 6 Duty) for public bodies. The duty requires that public bodies must seek to maintain and enhance biodiversity so far as consistent with the proper exercise of their functions and in doing so promote the resilience of ecosystems.

SUSTAINABLE MANAGEMENT OF NATURAL RESOURCES (SMNR) FRAMEWORK

Part 1 of the Environment (Wales) Act 2016 sets out Wales' approach to planning and managing natural resources at a national and local level with a general purpose linked to statutory Principles of Sustainable Management of Natural Resources (SMNR) defined within the Act.

There are three main components to the associated SMNR framework:

Part 1: The State of Natural Resources Report (SoNaRR)

The Report (produced by Natural Resources Wales, NRW) sets out the state of Wales' natural resources. It assesses the extent to which natural resources in Wales are being sustainably managed, and recommends a proactive approach to building resilience. For the first time the Report links the resilience of Welsh natural resources to the well-being of the people of Wales.

Part 2: Natural Resources Policy (NRP)

Produced by Welsh Government, it sets out the priorities, risks and opportunities for managing natural resources sustainably. The Policy takes into account the findings of the State of Natural Resources Report. The focus of the NRP is the sustainable management of Wales' natural resources, to maximise their contribution to achieving goals within the Wellbeing of Future Generations (Wales) Act 2015. The policy sets out the following three National Priorities:

- Delivering nature-based solutions,
- Increasing renewable energy and resource efficiency,
- Taking a place-based approach

Part 3: Area Statements

Area Statements will translate the high level strategic priorities while taking account of local need, opportunities and pressures, such as listed in this NRAP. An area profile will identify potential opportunities and priorities at a local level and possible collaboration opportunities for different bodies to work. Monmouthshire is in the South East Wales Area Statement area which takes a landscape approach to working, recognising the special and distinct landscape profiles of the area.

APPENDIX 2: PROTECTED SITES

The protected site network is made of sites designated under several different legislations and mechanisms. Sites which are nationally or internally important are designated as "statutory" designations. Locally important sites do not have the same statutory protection, but a vital components of ecosystem health and resilience.

Table 2: Protected Site Designations

| Type of Designation | Details |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ramsar Site The Convention on Wetlands 1971 | Ramsar sites are wetlands of international importance, designated following the Convention on Wetlands signed in Ramsar, Iran, in 1971. All are designated as SSSI as well and through that are legally protected against damaging activities. The Severn Estuary is designated as a Ramsar site for estuarine habitat, assemblages of migratory fish species and internationally important populations of waterfowl. |
| Special Protection Area (SPA) Conservation of Habitats and Species Regulations 2019 | Internationally important sites for the breeding, feeding, wintering or the migration of rare and vulnerable species of birds are designated as Special Protection Areas (SPAs). There is a legal duty to manage and monitor SPA sites. All are designated as SSSI as well and through that are legally protected against damaging activities. The Severn Estuary SPA is one of the most important estuaries in the UK for overwintering wildfowl and waders, especially when severe weather conditions affect sites further north and east. The Estuary regularly supports over 20,000 wintering wildfowl, with over 80,000 individual waterfowls recorded in the winter seasons. |
| Special Area of Conservation (SAC) Conservation of Habitats and Species Regulations 2019 | Sites which support internationally important habitats or species populations are designated as Special Areas of Conservation (SACs). There is a legal duty to manage and monitor SAC sites. All are designated as SSSI as well and through that are legally protected against damaging activities. There are five SACs in Monmouthshire. The Severn Estuary is designated as one of the largest coastal plain estuaries in Europe, with a classic funnel shaper and one of the highest tidal ranges in the world. Together with the Ramsar and SPA designations the site is known as the Severn Estuary European Marine Site. The Rivers Usk and Wye SACs are both designated as watercourses which support migratory and non-migratory fish, as well as otter and water crowfoot habitat. The Wye Valley Woodlands SAC comprises over 900 ha of mixed ash, beech and yew woodlands, on both Welsh and English representing the western-most range of most of the woodland types recorded. The Wye Valley and Forest of Dean Bat Sites SAC is another cross border SAC the protects an internationally important network of lesser and greater horseshoe bat roosts. In Monmouthshire there are four roosts which include the only known greater horseshoe maternity roost in Wales. |
| Site of Special Scientific Interest (SSSI) | Sites which support habitats or species population of national importance are designated as Sites of Species Scientific Interest. Some sites are also designated for geological reasons. Activities which are likely to damage a SSSI require consent from the relevant nature conservation body. |

| Type of Designation | Details |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Wildlife and Countryside Act 1981, Countryside and Rights of Way Act 2000 | There are 67 Sites of Special Scientific Interest (SSSIs) including nine sites designated for the species they support, 20 woodland SSSIs and 11 designated for species-rich or ancient grassland. The full breakdown of SSSI types is given in Figure 8. |
| National Nature Reserve (NNR) | National Nature Reserves are designated by the relevant nature conservation body. They are all nationally important sites designated as SSSIs which are also open to the public (with some exceptions). |
| Wildlife and Countryside Act 1981 | There are two National Nature Reserves in Monmouthshire; Fiddlers Elbow and Upper Wye Gorge, both of which are part of Wye Valley Woodlands SAC |
| Local Nature Reserve (LNR) | Local Nature Reserve sites are designated by the council. There is no legal protection as a result of the LNR designation but they are usually protected by management agreements and local plans. |
| National Parks and Access to the Countryside Act 1949 | Cleddon Bog SSSI is designated as Local Nature Reserve in Monmouthshire. |
| Local Wildlife Site (LWS) or Site of Importance for Nature Conservation (SINC) | Local Wildlife Sites or Sites of Importance for Nature Conservation have substantive nature conservation value and play a critical role in conservation, but have no legal protection. National and local planning policy provides some protection against development, and recent updates to Planning Policy Wales have strengthened the commitment to protect locally designated sites and irreplaceable habitats. |
| Not a statutory designation | At time of publication there are 782 sites designated as SINCs identified in Monmouthshire LPA predominantly in relation to grassland and ancient and semi-natural woodland. Gwent Wildlife Trust identify new sites each year so this number is subject to change. |

APPENDIX 3: PRIORITY HABITATS IN MONMOUTHSHIRE

The habitats in the following table are habitats listed on Section 7 of the Environment (Wales) Act 2016 that are known to occur within Monmouthshire. We have used data sets available on Data Map Wales and designated site citations to inform the list.

Table 3: Priority Habitats in Monmouthshire

| Habitats | Cynefin | Priority Habitats | Cynefin sy'n Flaenoriaeth |
|---------------------------------|--------------------------------------|---------------------------------------------------|---------------------------------------------------------------------|
| Broadleaved, mixed and yew | Coedwig lydanddail, gymysgac | Traditional orchards | Perllannau traddodiadol |
| woodland | ywen | Wood pasture & parkland | Porfa goediog a pharcdir |
| | | Lowland beech and yew woodland | Coedwig ffawydd ac ywenar dir |
| | | Wet woodland | isel Coedwig wlyb |
| | | Lowland mixed deciduous woodland | Coedwig gollddail gymysgar dir isel |
| Boundary and linear features | Coedwig lydanddail, gymysgac ywen | Hedgerows | Gwrychoedd |
| Improved grassland | Glaswelltir wedi ei wella | Coastal and floodplain grazing marsh | Tir pori corslyd ar forfaarfordirol a gorlifdir |
| Neutral grassland | Glaswelltir niwtral | Lowland meadows | Gweirgloddiau yr iseldir |
| Calcareous grassland | Glaswelltir calchaidd | Lowland calcareous grassland | Glaswelltir calchaidd yriseldir |
| Acid grassland | Glaswelltir asidaidd | Lowland dry acid grassland | Glaswelltir asidaidd sychiseldir |
| Dwarf shrub heath | Gweundir o gorlwyni | Lowland heathland | Gweundir yr iseldir |
| Fen, marsh and swamp | Ffen, cors a chors siglennaidd | Lowland fens | Ffeniau ar dir isel |
| | | Reedbeds | Gwelyau cyrs |
| Bogs | Corsydd | Lowland raised bog | Cyforgors ar dir isel |
| Rivers and Streams | Afonydd a nentydd | Rivers | Afonydd |
| Standing open waters and canals | Dŵr llonydd agored a chamlesi | Ponds | Pyllau dŵr |
| Inland rock | Craig fewndirol | Open mosaic habitats on previously developed land | Brithwaith o gynefinoeddagored ar dir a oedd cynt wedi ei ddatblygu |
| Supralittoral rock | Craig uwch-lanw | Maritime cliff and slopes | Clogwyni a llethrau arforol |

APPENDIX 4: PRIORITY SPECIES IN MONMOUTHSHIRE

The species in the following table have all been recorded in Monmouthshire and are listed as priority species on Section 7 of the Environment (Wales) Act 2016. The list and dates are from data provided by SEWBReC in May 2025.

Table 4: Priority Species in Monmouthshire

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|---------------|---------------------------|------------------------|----------------------|--------------------|------------------|
| Mammals | Arvicola amphibius | European Water Vole | Llygod Pengrwn y Dwr | 1959 | 2024 |
| | Barbastella barbastellus | Western Barbastelle | Ystlum Du | 2010 | 2024 |
| | Erinaceus europaeus | West European Hedgehog | Draenog | 1964 | 2025 |
| | Lepus europaeus | Brown Hare | Ysgyfarnog | 1959 | 2023 |
| | Lutra lutra | European Otter | Dyfrgi | 1958 | 2025 |
| | Martes martes | Pine Marten | Bele | 1939 | 2024 |
| | Micromys minutus | Harvest Mouse | Llygod yr Yd | 1968 | 2024 |
| | Muscardinus avellanarius | Hazel Dormouse | Pathew | 1905 | 2024 |
| | Mustela putorius | Polecat | Ffwlbart | 1952 | 2024 |
| | Myotis bechsteinii | Bechstein's Bat | Ystlum Bechstein | 2011 | 2024 |
| | Nyctalus noctula | Noctule Bat | Ystlum Mawr | 1959 | 2024 |
| | Pipistrellus pipistrellus | Common Pipistrelle | Ystlum Cyffredin | 1970 | 2025 |
| | Pipistrellus pygmaeus | Soprano Pipistrelle | Ystlum Lleiaf | 1996 | 2024 |
| | Plecotus auritus | Brown Long-eared Bat | Ystlum Hirglust | 1969 | 2024 |
| | Rhinolophus ferrumequinum | Greater Horseshoe Bat | Ystlum Pedol Mwyaf | 1910 | 2025 |
| | Rhinolophus hipposideros | Lesser Horseshoe Bat | Ystlum Pedol Lleiaf | 1950 | 2025 |
| Birds | Acanthis cabaret | Lesser Redpoll | Llinos Bengoch | 1960 | 2024 |
| | Alauda arvensis | Eurasian Skylark | Ehedydd | 1936 | 2025 |
| | Anser albifrons | White-fronted Goose | Gwydd Dalcen-Wen | 1963 | 2021 |
| | Anthus trivialis | Tree Pipit | Corhedydd y Coed | 1961 | 2024 |
| | Botaurus stellaris | Eurasian Bittern | Adar y Bwn | 1985 | 2024 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|---------------|-------------------------------|---------------------------|----------------------|--------------------|------------------|
| | Branta bernicla bernicla | Dark-bellied Brent Goose | Gŵydd Ddu Fol-dywyll | 1987 | 2023 |
| | Caprimulgus europaeus | Nightjar | Troellwr Mawr | 1959 | 2024 |
| | Charadrius hiaticula | Common Ringed Plover | Cwtiad Torchog | 1971 | 2024 |
| | Chroicocephalus ridibundus | Black-headed Gull | Gwylan benddu | 1922 | 2024 |
| | Circus cyaneus | Hen Harrier | Boda Tinwyn | 1975 | 2024 |
| | Coccothraustes coccothraustes | Hawfinch | Gylfinbraff | 1900 | 2024 |
| | Crex crex | Corncrake | Rhegen yr Yd | 1973 | 1981 |
| | Cuculus canorus | Cuckoo | Cog | 1959 | 2024 |
| | Cygnus columbianus bewickii | Bewick's Swan | Alarch Bewick | 1960 | 2019 |
| | Dryobates minor | Lesser Spotted Woodpecker | Cnocell Fraith Leiaf | 1959 | 2024 |
| | Emberiza calandra | Corn Bunting | Bras yr Yd | 1973 | 2006 |
| | Emberiza citrinella | Yellowhammer | Bras Melyn | 1961 | 2024 |
| | Emberiza schoeniclus | Common Reed Bunting | Bras y Cyrs | 1965 | 2024 |
| | Falco tinnunculus | Kestrel | Cudyll Coch | 1959 | 2025 |
| | Ficedula hypoleuca | European Pied Flycatcher | Gwybedog Brith | 1959 | 2024 |
| | Lagopus lagopus | Red Grouse | Grugiar Goch | 1951 | 2024 |
| | Larus argentatus | European Herring Gull | Gwylan y Penwaig | 1958 | 2024 |
| | Limosa lapponica | Bar-tailed Godwit | Rhostog Coch | 1971 | 2024 |
| | Linaria cannabina | Linnet | Llinos | 1964 | 2025 |
| | Locustella naevia | Grasshopper Warbler | Troellwr Bach | 1900 | 2024 |
| | Lullula arborea | Woodlark | Ehedydd y Coed | 1985 | 2019 |
| | Melanitta nigra | Common Scoter | Mor-Hwyaden Ddu | 1971 | 2020 |
| | Motacilla flava | Western Yellow Wagtail | Siglen Felen | 1959 | 2024 |
| | Muscicapa striata | Spotted Flycatcher | Gwybedog Mannog | 1961 | 2024 |
| | Numenius arquata | Curlew | Gylfinir | 1959 | 2025 |
| | Passer domesticus | House Sparrow | Adar y To | 1957 | 2025 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|---------------|-------------------------|--------------------|--------------------------|--------------------|------------------|
| Birds cont. | Passer montanus | Tree Sparrow | Golfan y Mynydd | 1961 | 2023 |
| | Perdix perdix | Grey Partridge | Petris | 1959 | 2024 |
| | Phylloscopus sibilatrix | Wood Warbler | Telor y Coed | 1961 | 2024 |
| | Pluvialis apricaria | Golden Plover | Cwtiad Aur | 1901 | 2023 |
| | Poecile montanus | Willow Tit | Titw'r Helyg | 1980 | 2023 |
| | Poecile palustris | Marsh Tit | Titw'r Wern | 1961 | 2024 |
| | Prunella modularis | Dunnock | Llwyd y Gwrych | 1961 | 2025 |
| | Pyrrhula pyrrhula | Eurasian Bullfinch | Coch y Berllan | 1961 | 2025 |
| | Streptopelia turtur | Turtle Dove | Turtur | 1959 | 2021 |
| | Sturnus vulgaris | Starling | Drudwen | 1931 | 2025 |
| | Turdus philomelos | Song Thrush | Bronfraith | 1958 | 2025 |
| | Turdus torquatus | Ring Ouzel | Mwyalchen y Mynydd | 1958 | 2025 |
| | Vanellus vanellus | Lapwing | Cornchwiglen | 1959 | 2025 |
| Reptiles and | Anguis fragilis | Slow-worm | Nadroedd Defaid | 1956 | 2024 |
| Amphibians | Bufo bufo | Common Toad | Llyffant Dafadennog | 1976 | 2025 |
| | Natrix helvetica | Grass Snake | Nadroedd y Gwair | 1958 | 2024 |
| | Triturus cristatus | Great Crested Newt | Madfall Ddwr Gribog | 1960 | 2025 |
| | Vipera berus | Adder | Gwiber | 1963 | 2024 |
| | Zootoca vivipara | Common Lizard | Madfall | 1956 | 2024 |
| Fish | Alosa alosa | Allis Shad | Herlod | 1964 | 1964 |
| | Alosa fallax | Twaite Shad | Gwangen | 1991 | 2023 |
| | Anguilla anguilla | European Eel | Llysywen | 1959 | 2023 |
| | Gadus morhua | Atlantic Cod | Penfras | 1981 | 1981 |
| | Lampetra fluviatilis | Lampern | Llysywen Bendoll yr Afon | 1975 | 2011 |
| | Petromyzon marinus | Sea Lamprey | Llysywen Bendoll y Môr | 1963 | 2023 |
| | Raja clavata | Roker | Morgath Styds | 1970 | 2017 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|------------------------|------------------------|---------------------------------|-----------------------|--------------------|------------------|
| | Salmo salar | Atlantic Salmon | Eog | 1962 | 2024 |
| | Salmo trutta | Brown/Sea Trout | Brithyll | 1964 | 2023 |
| Butterflies and | Acronicta psi | Grey Dagger | Bidog Llwyd | 1912 | 2024 |
| Moths | Acronicta rumicis | Knot Grass | Bidog Tafol | 1966 | 2024 |
| | Adscita statices | Forester | Coediwr | 1982 | 2015 |
| | Agonopterix atomella | Greenweed Flat-body | | 1977 | 1977 |
| | Agrochola lychnidis | Beaded Chestnut | Castan Leiniog | 1912 | 2024 |
| | Allophyes oxyacanthae | Green-brindled Crescent | Cilgant Brych | 1962 | 2024 |
| | Amphipoea oculea | Ear Moth | Clustwyfyn Llygeidiog | 1973 | 2022 |
| | Amphipyra tragopoginis | Mouse Moth | | 1960 | 2023 |
| | Anania funebris | White-spotted Sable | | 1966 | 1982 |
| | Anchoscelis helvola | Flounced Chestnut | Castan Grech | 1965 | 2020 |
| | Anchoscelis litura | Brown-spot Pinion | Castan Smotyn Brown | 1966 | 2023 |
| | Apamea remissa | Dusky Brocade | Brithion Llwydolau | 1961 | 2024 |
| | Arctia caja | Garden Tiger | Teigr yr Ardd | 1964 | 2024 |
| | Asteroscopus sphinx | Sprawler | Cwcwll Bwaog | 1965 | 2023 |
| | Atethmia centrago | Centre-barred Sallow | Melyn yr Ynn | 1935 | 2024 |
| | Boloria euphrosyne | Pearl-bordered Fritillary | Britheg Berlog | 1906 | 2019 |
| | Boloria selene | Small Pearl-bordered Fritillary | Britheg Berlog Fach | 1906 | 2023 |
| | Brachylomia viminalis | Minor Shoulder-knot | Gwarglymau Bach | 1967 | 2021 |
| | Caradrina morpheus | Mottled Rustic | Gwladwr Brith | 1966 | 2024 |
| | Celaena haworthii | Haworth's Minor | Gwyfyn Plu'r Gweunydd | 2013 | 2013 |
| | Ceramica pisi | Broom Moth | Gwyfyn Banadl | 1966 | 2024 |
| | Chesias legatella | Streak | Rhesen y Banadl | 1962 | 2023 |
| | Chesias rufata | Broom-tip | Rhesen Gam | 1967 | 2023 |
| | Chiasmia clathrata | Latticed Heath | Seffyr Delltog | 1968 | 2023 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|-----------------|--------------------------|-------------------------------|----------------------------------|--------------------|------------------|
| Butterflies and | Cirrhia gilvago | Dusky-lemon Sallow | Melyn y Llwyf | 1966 | 2019 |
| Moths cont. | Cirrhia icteritia | Sallow | Melyn Penfelyn | 1966 | 2023 |
| | Coenonympha pamphilus | Small Heath | Gweirlöyn Bach y Waun | 1906 | 2024 |
| | Cossus cossus | Goat Moth | Gwyfyn Drewllyd | 1971 | 2019 |
| | Cupido minimus | Small Blue | Gleision Bach | 2007 | 2023 |
| | Cymatophorina diluta | Oak Lutestring | Tannau'r Deri | 1971 | 2020 |
| | Diarsia rubi | Small Square-spot | Smotiau Sgwar Bach | 1912 | 2024 |
| | Diloba caeruleocephala | Figure of Eight | Crwbach Ffigwr Wyth | 1963 | 2024 |
| | Ecliptopera silaceata | Small Phoenix | Ffenics Bach | 1912 | 2024 |
| | Ennomos erosaria | September Thorn | Carpiog Medi | 1969 | 2024 |
| | Ennomos fuscantaria | Dusky Thorn | Carpiog Tywyll | 1966 | 2024 |
| | Ennomos quercinaria | August Thorn | Carpiog Awst | 1966 | 2024 |
| | Entephria caesiata | Grey Mountain Carpet | Brychan Llwyd y Mynydd | 1984 | 1999 |
| | Epirrhoe galiata | Galium Carpet | Brychan y Friwydd | 1984 | 2010 |
| | Eriopygodes imbecilla | Silurian | Gwyfyn Gwent | 1999 | 2023 |
| | Erynnis tages | Dingy Skipper | Gwibiwr Llwyd | 1906 | 2024 |
| | Eugnorisma glareosa | Autumnal Rustic | Gwladwr yr Hydref | 1966 | 2023 |
| | Eulithis mellinata | Spinach | Brychan Cwrens | 1967 | 2024 |
| | Euphydryas aurinia | Marsh Fritillary | Britheg y Gors | 1935 | 1994 |
| | Euxoa nigricans | Garden Dart | Dart y Gerddi | 1972 | 2019 |
| | Fabriciana adippe | High Brown Fritillary | Britheg Frown | 1905 | 1989 |
| | Graphiphora augur | Double Dart | Dart Deunod | 1967 | 2019 |
| | Helotropha leucostigma | Crescent | Clustwyfyn Cilgantog | 1974 | 2023 |
| | Hemaris tityus | Narrow-bordered Bee Hawk-moth | Gwalch-Wyfyn Gwenynaidd Ymyl Gul | 1933 | 1933 |
| | Hemistola chrysoprasaria | Small Emerald | Emrallt Barf yr Hen Wr | 1967 | 2024 |
| | Hepialus humuli | Ghost Moth | Chwimwyfyn Rhithiol | 1963 | 2023 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|------------------------|-------------------------|---------------------------|------------------------|--------------------|------------------|
| Butterflies and | Hipparchia semele | Grayling | Gwerlöyn Llwyd | 1941 | 2024 |
| Moths cont. | Hoplodrina blanda | Rustic | Llwyd Llyfn | 1966 | 2024 |
| | Hydraecia micacea | Rosy Rustic | Gwladwr Gwridog | 1966 | 2024 |
| | Lasiommata megera | Wall | Gweirlöyn y cloddiau | 1906 | 2024 |
| | Leptidea sinapis | Wood White | Gwyn y Coed | 1935 | 2022 |
| | Leucania comma | Shoulder-striped Wainscot | Gwensgod Gwar Rhesog | 1966 | 2024 |
| | Limenitis camilla | White Admiral | Mantell Wen | 1952 | 2024 |
| | Litoligia literosa | Rosy Minor | Corachod Gwridog | 1967 | 2022 |
| | Lycia hirtaria | Brindled Beauty | Rhisgl Brith | 1965 | 2025 |
| | Macaria wauaria | V-Moth | Seffyr y Ffyrch | 1966 | 1990 |
| | Malacosoma neustria | Lackey | Gwaswyfyn | 1960 | 2024 |
| | Melanchra persicariae | Dot Moth | Gwyfyn Dotiog | 1963 | 2024 |
| | Melanthia procellata | Pretty Chalk Carpet | Brychan Hardd y Calch | 1966 | 2023 |
| | Minoa murinata | Drab Looper | Dolennwr Llwydfelyn | 1911 | 2024 |
| | Mniotype adusta | Dark Brocade | Pali Tywyll | 1970 | 2022 |
| | Noctua orbona | Lunar Yellow Underwing | Isadain Felen Loerol | 2019 | 2019 |
| | Orthonama vittata | Oblique Carpet | Brychan Lletraws | 1966 | 2022 |
| | Orthosia gracilis | Powdered Quaker | Crynwr Llychlyd | 1967 | 2024 |
| | Perizoma albulata | Grass Rivulet | Gwregys y Gwair | 1967 | 2024 |
| | Plebejus argus | Silver-studded Blue | Gleision Serennog | 2015 | 2015 |
| | Pyrgus malvae | Grizzled Skipper | Gwibiwr Brith | 1906 | 2024 |
| | Rheumaptera hastata | Argent & Sable | Brychan Pennau Saethau | 1991 | 2004 |
| | Rhizedra lutosa | Large Wainscot | Gwelltwyfyn Mawr | 1967 | 2023 |
| | Sabra harpagula | Scarce Hook-tip | Bachadain Brin | 1961 | 2023 |
| | Satyrium w-album | White-letter Hairstreak | Brithribin W Wen | 1876 | 2024 |
| | Scopula marginepunctata | Mullein Wave | Ton Arfor | 2005 | 2020 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|-----------------|---------------------------|------------------------------|---------------------------|--------------------|------------------|
| Butterflies and | Scotopteryx chenopodiata | Shaded Broad-bar | Rhesen Lydan Dywyll | 1967 | 2024 |
| Moths cont. | Sideridis reticulata | Bordered Gothic | Rhwyll Ymylog | 1892 | 1892 |
| | Spilosoma lubricipeda | White Ermine | Ermin Gwyn | 1935 | 2024 |
| | Spilosoma lutea | Buff Ermine | Ermin Llwydfelyn | 1935 | 2024 |
| | Stilbia anomala | Anomalous | Llwyd Gloyw | 1968 | 2022 |
| | Synanthedon scoliaeformis | Welsh Clearwing | Cliradain Gymreig | 2015 | 2022 |
| | Thecla betulae | Brown Hairstreak | Brithribin Brown | 1983 | 2024 |
| | Tholera cespitis | Hedge Rustic | Rhwyll y Crawcwellt | 1912 | 2023 |
| | Tholera decimalis | Feathered Gothic | Rhwyll Bluog | 1966 | 2024 |
| | Timandra comae | Blood-vein | | 1966 | 2024 |
| | Trichiura crataegi | Pale Eggar | Wylun Gwelw | 1966 | 2020 |
| | Tyria jacobaeae | Cinnabar | Teigr y Benfelen | 1968 | 2024 |
| | Watsonalla binaria | Oak Hook-tip | Bachadain y Deri | 1937 | 2024 |
| | Xanthorhoe ferrugata | Dark-barred Twin-spot Carpet | Brychan Deusmotiog Tywyll | 1966 | 2024 |
| | Xestia agathina | Heath Rustic | Clai'r Rhos | 1986 | 2020 |
| | Xestia castanea | Neglected Rustic | Clai'r Waun | 1973 | 2012 |
| | Xylena exsoleta | Sword-grass | Cleddwyfyn Cyffredin | 1892 | 1892 |
| Bees, Wasps, | Bombus humilis | Brown-banded Carder-bee | Cardwenynen Lwydfrown | 1970 | 2024 |
| Ants and | Bombus muscorum | Moss Carder-bee | Cardwenynen y Mwsogl | 2019 | 2019 |
| Sawflies | Bombus ruderarius | Red-shanked Carder-bee | Cardwenynen Goesgoch | 1997 | 2014 |
| | Bombus sylvarum | Shrill Carder Bee | Cardwenynen Feinlais | 2003 | 2024 |
| | Chrysis fulgida | Shimmering Ruby-tail | | 2020 | 2020 |
| | Eucera longicornis | Long-horned Bee | Gwenynen Hirgorn | 1922 | 2024 |
| | Formicoxenus nitidulus | Shining Guest Ant | | 1995 | 1995 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|---------------|-------------------------------|------------------------------|----------------------|--------------------|------------------|
| Other | Asilus crabroniformis | Hornet robberfly | Pryf Lladd | 1959 | 2023 |
| Invertebrates | Austropotamobius pallipes | Freshwater Crayfish | Cimwch yr Afon | 1900 | 2024 |
| | Baetis niger | Southern Iron Blue | | 1975 | 2014 |
| | Bembidion quadripustulatum | Scarce Four-dot Pin-palp | | 1997 | 2012 |
| | Bembidion testaceum | Pale Pin-palp | Chwilen y Traeth | 1977 | 2015 |
| | Brachyptera putata | Northern February Red | Pryf Coch y Cerrig | 1983 | 2001 |
| | Calosoma inquisitor | Caterpillar-hunter | | 2002 | 2002 |
| | Carabus monilis | Necklace Ground Beetle | | 1985 | 2023 |
| | Cliorismia rustica | Southern Silver Stiletto-fly | Pryf Pigfain Arian | 1906 | 2005 |
| | Empis limata | English Assassin Fly | | 2002 | 2002 |
| | Lipsothrix nervosa | Southern Yellow Splinter | Pryfyn Teiliwr Melyn | 1968 | 2007 |
| | Lipsothrix nobilis | Scarce Yellow Splinter | | 2005 | 2005 |
| | Lucanus cervus | Stag Beetle | Chwilen Gorniog | 1961 | 2022 |
| | Meloe proscarabaeus | Black Oil-beetle | Chwilen Olew Ddu | 1971 | 2024 |
| | Meloe rugosus | Rugged Oil-beetle | Chwilen Olew Garw | 2006 | 2022 |
| | Meloe violaceus | Violet Oil-beetle | Chwilen Olew Fioled | 2015 | 2025 |
| | Meotica anglica | Shingle Rove Beetle | | 1998 | 1998 |
| | Monocephalus castaneipes | Broad Groove-head Spider | | 1985 | 1998 |
| | Odhneripisidium tenuilineatum | Fine-lined Pea Mussel | Misglen | 1965 | 2003 |
| | Potamanthus luteus | Yellow Mayfly | Cleren Fai Melyn | 1954 | 2024 |
| | Pseudanodonta complanata | Depressed River Mussel | Misglen yr Afon | 1955 | 2007 |
| | Rhabdomastix japonica | River-shore Cranefly | | 1972 | 1997 |
| | Saaristoa firma | Triangle Hammock-spider | | 2000 | 2000 |
| | Synaptus filiformis | Hairy Click Beetle | Chwilen Glic Blewog | 1852 | 2003 |

| Species Group | Scientific Name | English Name | Welsh Name | Earliest Record | Latest Record |
|---------------|------------------------------------------|-----------------------------|-----------------------------|--------------------|------------------|
| Plants | Anomodon longifolius | Long-leaved Tail-moss | Mwsogl Cynffon Hirddail | 1911 | 2012 |
| | Asplenium trichomanes subsp. pachyrachis | Lobed Maidenhair Spleenwort | Duegredynen Gwallt y Forwyn | 1988 | 2023 |
| | Bupleurum tenuissimum | Slender Hare's-ear | Paladr Trwyddo Eiddilddail | 1972 | 2012 |
| | Campanula patula | Spreading Bellflower | Clychlys Lledaenol | 1944 | 2018 |
| | Centaurea cyanus | Cornflower | Glas yr Yd | 1991 | 2024 |
| | Cephalanthera longifolia | Narrow-leaved Helleborine | Caldrist Culddail | 1879 | 2019 |
| | Clinopodium acinos | Basil Thyme | Brenhinllys | 2011 | 2011 |
| | Dianthus armeria | Deptford Pink | Penigan y Porfeydd | 1980 | 1980 |
| | Didymodon tomaculosus | Sausage Beard-moss | | 2004 | 2004 |
| | Euphrasia officinalis subsp. anglica | Glandular Eyebright | Effros Chwareog Gwalltog | 1985 | 2022 |
| | Euphrasia officinalis subsp. monticola | Eyebright | | 1997 | 2023 |
| | Euphrasia officinalis subsp. pratensis | Eyebright | Effros Blodau Bach Gludiog | 1971 | 2022 |
| | Euphrasia pseudokerneri | Eyebright | Effros y Calch | 2003 | 2012 |
| | Fumaria purpurea | Purple Ramping-fumitory | Mwg y Ddaear Glasgoch | 1924 | 2023 |
| | Galeopsis angustifolia | Red Hemp-nettle | Penboeth Culddail | 1983 | 1983 |
| | Hordeum marinum | Sea Barley | Haidd y Morfa | 1972 | 1972 |
| | Hypopitys monotropa | Yellow Bird's-nest | Cyd-Dwf | 1845 | 2021 |
| | Hypopitys monotropa subsp. hypophegea | Bird's-nest | | 1969 | 2013 |
| | Lycopodium clavatum | Stag's-horn Clubmoss | Cnwbfwsogl Corn Carw | 1980 | 2016 |
| | Melittis melissophyllum | Bastard Balm | Gwenynog | 1977 | 1977 |
| | Mentha pulegium | Pennyroyal | Brefai | 1942 | 1964 |
| | Oenanthe fistulosa | Tubular Water-dropwort | Cegid Pibellaidd | 1965 | 2022 |
| | Ophrys insectifera | Fly Orchid | Caineirian yr Ednogyn | 1878 | 1979 |
| | Orthotrichum pumilum | Dwarf Bristle-moss | | 2011 | 2011 |
| | Platanthera bifolia | Lesser Butterfly-orchid | Baladr Dwyddeiliog | 1878 | 2011 |
| | Ranunculus arvensis | Corn Buttercup | Blodyn-Ymenyn yr Yd | 1973 | 1981 |

| Species G | roup | Scientific Name | English Name | Welsh Name | Earliest | Latest |
|-----------|--------|-----------------------------|---------------------------------|--------------------------|----------|--------|
| | | | | | Record | Record |
| | | Scleranthus annuus | Annual Knawel | Dinodd Blynyddol | 1995 | 2005 |
| | | Sorbus eminens | Round-leaved Whitebeam | Cerddinen Mynwy | 1903 | 2017 |
| | | Sorbus leptophylla | Thin-leaved Whitebeam | Cerddinen Gymreig | 1950 | 1988 |
| | | Stellaria palustris | Marsh Stitchwort | Serenllys Llwydlas | 1982 | 1983 |
| | | Trollius europaeus | Globeflower | Blodeuyn y Gronnell | 2011 | 2024 |
| | | Weissia squarrosa | Spreading-leaved Beardless-moss | Mwsogl Diflew Lled-ddail | 1992 | 2011 |
| | | Weissia wilsonii | Many-fruited Beardless-moss | | 1980 | 2010 |
| Fungi, | Lichen | Buglossoporus quercinus | Oak polypore | | 2006 | 2006 |
| and | Slime | Clavaria zollingeri | Violaceous Fairy Club | Cwrel Fioled | 2000 | 2021 |
| Moulds | | Entoloma bloxamii s. lat. | Big Blue Pinkgill | Tagell Binc Fawr Las | 2006 | 2016 |
| | | Microglossum olivaceum agg. | Olive Earthtongue | Tafod Daear Melynwyrdd | 1998 | 2016 |
| | | Parmelia ernstiae | | | 2016 | 2016 |
| | | Phylloporus pelletieri | Gilled Bolete | Boled Tagell Aur | 2017 | 2017 |
| | | Punctelia jeckeri | | | 1986 | 2023 |
| | | Punctelia reddenda | | | 1975 | 2021 |
| | | Pyrenula nitida | | | 1982 | 1982 |
| | | Usnea articulata | | | 2016 | 2016 |
| | | Usnea florida | Witches' Whiskers Lichen | | 2005 | 2005 |

APPENDIX 5: NRAP FOR WALES OBJECTIVES

The following table gives the NRAP for Wales objectives, which are also the Greater Gwent NRAP objectives. .

Table 5: NRAP for Wales Objectives and Local NRAP Actions

| | NRAP for Wales Objectives | Monmouthshire Local NRAP Actions |
|---|-------------------------------------------------------------------------------------------------------------------|----------------------------------|
| 1 | Engage and support participation and understanding to embed biodiversity throughout decision making at all levels | G1.1 G1.2 |
| 2 | Safeguard species and habitats of principal importance and improve their management | G3.1 G3.3 |
| 3 | Increase the resilience of our natural environment by restoring degrading habitats and habitat creation | G4.1 G4.2 |
| 4 | Tackle key pressures on species and habitats | G3.3 G3.4 |
| 5 | Improve our evidence, understanding and monitoring | G2.1 G2.2 G2.3 G3.1 |
| | | G3.2 G3.4 G3.5 |
| 6 | Put in place a framework of governance and support for delivery | G1.3 G1.4 |